

CONTACT US

QINGDAO JINFER INTERNATIONAL CO., LTD

No.6 Shandong Road Qingdao China 266000
+86 532 8386 0958
sales@jinferrailing.com
www.jinferrailing.com




CATALOG



ALU46 CHANNEL



ALU⁴⁶ CHANNEL - TOP MOUNT



NO.	L mm	A mm	B mm	N1	P1	C mm	D mm	N2	P2
A30046-2.5	2500	50	200	13	12	150	1000	3	2
A30046-3.0	3000	100	200	15	14	200	1000	3	2
A30046-5.0	5000	100	200	25	24	200	1000	5	4
A30046-6.0	6000	100	200	30	29	200	1000	6	5





INNER CORNER with cladding

NO.	L mm
A31046B	200

OUTER CORNER with cladding


NO.	L mm
A32046B	200





CLADDING

NO.	H mm	H1 mm	L mm	L1 mm	L2 mm
A37036	122	5	20	10.5	16

ALU⁴⁶ CHANNEL - FASCIA MOUNT



NO.	L mm	A mm	B mm	N1	P1	C mm	D mm	N2	P2
A30146-2.5	2500	50	200	13	12	150	1000	3	2
A30146-3.0	3000	100	200	15	14	200	1000	3	2
A30146-5.0	5000	100	200	25	24	200	1000	5	4
A30146-6.0	6000	100	200	30	29	200	1000	6	5





INNER CORNER with cladding

NO.	L mm
A31146B	250

OUTER CORNER with cladding



NO.	L mm
A32146B	250



CLADDING

NO.	H mm	H1 mm	L1 mm	L2 mm
A37136	123.8	5	72.5	26.5

ALU⁴⁶ CHANNEL - ACCESSORIES





CLADDING

END CAP for A30046

NEW

No Gaps in Side View

NO.	H mm	L mm	D mm
A360036	124.5	76	8






END CAP for A30046

NO.	H mm	W mm
A36015	122	72

END CAP for A30146

NO.	H mm	W mm
A36136	124	73.5



DRAINAGE PROFILE

NO.	W mm	L mm
A38536	76	100

DRAINAGE PROFILE

NO.	W mm	L1 mm	L2 mm
A38529	76	250	400



F030840
PIN




FS0104
FLEXI - BIT



F033008120
HEX HEAD CAP BOLT

ALU⁴⁶ CHANNEL - WEDGE & GASKET SET

GLASS	WEDGE NO.	PATENT LED WEDGE	SET NO.	RUBBER (inside)	RUBBER (outside)
12 - 12.76 mm	A340013-XZ		A343613D		
13.52 - 14.28 mm	A340014-XZ		A343614D		
15 mm			A343615D		
16.76 - 17.52 mm	A340018-XZ		A343618D		
19 mm	A340019-XZ		A343619D		
20.76 - 21.52 mm	A340022-XZ		A343622D		



- Effortless Installation
- Quick Glass Insertion
- Perfect Alignment in Seconds
- Integrated LED Light Strip Design

